

position" and "second, open position" were inadvertently switched at various spaces in the specification. Those typographical errors have been corrected. In addition, other typographical errors noted by the Applicant's representative have been corrected. In addition, an error to the drawing at Figures 4, 5, and 8 with respect to the rebate 120 has been noted. Proposed drawing corrections shown in an attached paper are submitted for approval by the Examiner. New matter has not been added.

The references which have been cited, but not applied to the claims have been carefully reviewed. The references fail to show, teach or suggest the invention as presently claimed. In view of the amendments to the specification and claims, and the request for drawing change, the application is believed to be in condition for allowance.


Marked up copies of the amended paragraphs are enclosed herewith in accordance with 37 C.F.R. § 1.121(b)(iii) and (c)(ii).

The Examiner is invited to contact the Applicants' representative by telephone at (206) 682-1600 to resolve any remaining issues.

Respectfully submitted,

Michelle J. Pillers, Barry Beyerlein and Robert Freed

RICHARDSON & FOLISE



Michael J. Folise
Reg. No. 31,952

1200 Fifth Avenue, Suite 1801
Seattle, WA 98101
Phone: (206) 682-1600
Fax: (206) 682-3985

Enclosures: Marked up copies of amended paragraphs in the specification and claims.
Request for Drawing Change
Return postcard
D:\PA19\PI5\AMNDRESP.WPD